SURNAME	FIRST NAME
JUNIOR SCHOOL	SENIOR SCHOOL



COMMON ENTRANCE EXAMINATION AT 13+

SCIENCE

LEVEL 2

CHEMISTRY

Tuesday 29 January 2013

Please read this information before the examination starts.

- This examination is 40 minutes long.
- The answers should be written on the question paper.
- Answer all the questions.
- Calculators may be required.



Underline the option which best completes each of the following:
 (a) A way of separating a mixture of salt and sand is to

add water, and then filter distil the mixture

put it into a filter paper use chromatography


(b) Pure water is best described as

an atom a compound an element a mixture

(c) A pure chemical has a freezing point of 6 °C and a boiling point of 80 °C. At room temperature (20 °C), it will be a

gas liquid solid solution

(d) In the Bunsen burner flame shown below



the highest temperature will be at the position marked

A B C D

(e) When 6 grams of magnesium is burnt, 10 grams of magnesium oxide are formed. If 30 grams of magnesium are burnt, the mass of magnesium oxide formed will be

10 grams 30 grams 34 grams 50 grams


(5)

2. This question is about gases.

hydrogen	oxygen	nitrogen
carbon dioxide	sulphur dioxide	atoms
molecules	regularly	randomly

Using only the words in the box above, fill in the spaces in the diagram below with the words you think are most suitable.

Each word may be used once, more than once or not at all.



(7)

In 2009, a large hoard of Anglo-Saxon objects was found in a Staffordshire field using a metal detector.

Some of them are shown below:



Many of the objects were found to be made of pure gold and were still shiny after lying underground for 1300 years.

unc	nderground for 1300 years.	
(a)) Underline the word which best describes pure gold:	
	a compound an element a mixture a solution	(1
The	ne list shows some of the properties of gold:	
	It is a good conductor of electricity. It melts at 1064°C. It is yello	w.
	It is easily scratched. It stays shiny. It is a good conductor of h	eat.
(b)	(i) Which ONE of these properties shows that gold does NOT react with oxy in the air?	gen
		(1

Some iron objects were also found in the hoard.


nan just by appearance.	
	than just by appearance.

(2)

(ii) Which TWO of the properties above are properties of ALL metals?

The	iron	objects had traces of rust present on their surfaces.	
(d)	(i)	Which two substances must be present for an iron object to rust?	
		1:	
		2:	(1
	(ii)	Give a possible reason why iron objects found underground do not rust as much as if they had been left above the ground.	
			(1
(e)		cribe the changes in the movement and arrangement of the particles when is heated from room temperature to just over 1064°C.	
	•••••		
	•••••		
	•••••		(2

David used an electrical pH probe to test various liquids.
 He dipped the probe into each liquid and recorded the pH value in a table.



(a) In the table below, tick one box for each liquid to show whether it is acidic, neutral or alkaline.

(One has been done for you.)

liquid	pH value	acidic	neutral	alkaline
alcohol	7		*	
drain cleaner	1	_		
distilled water	.7		1	1 4 1
vinegar	3	16:		
oven cleaner	13			

(b) David washed the probe with distilled water between each test.

Why did he do this?

(1)

Which liquid in the table is the strongest acid?

(2)

	noticed that bubbles of gas were given off and the pH value rose to 7. also noticed that not all the chalk reacted.	
(d)	(i) How could David have proved the gas formed was carbon dioxide?	
	test:	
	result:	(2)
	(ii) What type of reaction occurred?	
		(1)
	(iii) Why did not all the chalk react?	
		(1)
(e)	Another way to measure pH values is to use pH paper.	
	Suggest one practical advantage of using	
	(i) the electrical pH probe	

(ii) pH paper....

David added some chalk to the vinegar.

(2)

5. The following four metals, arranged in order of decreasing reactivity, are often used in the modern world:


metal	reactivity	density, in grams per cm³	price, in £ per kg (2011 price)	uses
aluminium	more reactive	2.7	1.46	aircraft frames, soft drink cans, cooking foil, electricity cables, pans
iron		7.9	0.25	building frames, car bodies, bridges
copper		8.9	5.80	electrical wiring, water pipes, pans
silver	less reactive	10.5	800	jewellery, electrical circuits

You can use some of the information in the table and your own knowledge to answer the questions which follow.

(a) Why is copper preferred to iron for water pipes?

The same			
	 	07/	7.1
	 	-	(1

(b) Why is aluminium used for the electricity cables which carry power across the country, although it is not as good a conductor as copper?



												1201		
2:	-1	72	5.14		l (1		450	I A	14	Bel		1/	Ù	 S
					Ü								0	
••••		•••••					•••••		••••••					
Ja of	ım is hour	mad s.	e by b	oiling	an aci	dic mi	ixture c	of fruit	and su	ıgar in	a par	n for a	numb	er
	3 4		Giv par	e one n for m	advar aking	ntage jam, o	and or compai	ne disa red to	dvanta a copp	age of er pan	using I.	an alı	uminiu	ım
ad	vanta	age:	4	<u>.</u>	Wil	15.	3 //	j. 667		ık	.ta.s.l	10		
dis	sadva	ıntag	e: +/	111	21 st 3 st	ian 1 s	M	<u>111</u>	<u>16. 7</u>	<u>v 104</u> + _V ,	-/	1. 11	94 (2.)	2
De pla	escrib ace in	e ca the	refully reactiv	an exp	perime ries wi	ent you ith alu	u could minium	do to	put the	e meta	l zinc silver.	in the	corre	ct
				t you v										
		•••••												•••
								•••••					•••••	
(ii) Exp	olain ies.	how y	our re	esults	would	d tell y	ou wh	ere to	put zi	nc in	the re	eactivit	ty
									••••••		•••••			


6. Screenwash is a liquid which is sometimes mixed with water in car screenwash bottles in order to prevent the water from freezing in very cold conditions.


The following table tells motorists what percentage of screenwash should be mixed with water to change the freezing point of the wash liquid:

% screenwash, by volume	freezing point, in °C
0	0
10	-5
20	-12
30	-21
40	-33
50	-47

(a) (i) Plot these results on the axes below.

(2)





(ii) Draw a best fit curve through the points.

(1)


(iii) What percentage of screenwash would produce a liquid with a freezing point of $-15\,^{\circ}\text{C}$?

.....(1)

(b)	A motorist made a mixture of 70 of			water.	
	(i) Work out the percentage of s	screenwash in	his mixture.	The has take	
	61.130		567.55	3	
		7.0		25%	34
			Type year		. (2)
	(ii) What is the freezing point of	this mixture?		°C	(1)
	eenwash contains a liquid called m hanol molecules look like this:	nethanol.			
	H	H) O H			
(c)	(i) Name the elements present i	n methanol.			
	H. I. J. M. A.	bon, CX	t fen		. (1)
	(ii) How many atoms are there in	one molecul	e of methanol?	<u> </u>	. (1)
Met are	hanol is very flammable. When it b formed.	ourns in a goo	d supply of air, to	wo main products	3
(d)	Name the two products formed with the two products for the				. (2)

TURN OVER FOR QUESTION 7

A teacher investigated the effect of heating three different compounds in test tubes.
 She weighed each test tube before and after heating.



The observations and results of her experiments are shown below.

compound	colour before heating	colour after heating	mass change?
potassium carbonate	white	white	no
mercury oxide	red	silver	decrease
lead nitrate	white	yellow	decrease

(a)	Give two pieces of evidence which showed the potassium carbonate did not react.	
	1: No colour 1-mgc	
	2: Mr. 2007 A. M. 10	(2)
(b)	(i) Suggest a reason why the mass decreased when mercury oxide and lead nitrate were heated.	
	e beening was on on and is	
	JAMES THE	(1)
	(ii) What type of reaction is occurring in these two reactions?	
	denom 202 His	(1)
	(iii) Write the word equation for the reaction when mercury oxide is heated.	
	Morrary - + - De-Mercine + in fer	(2)