

GCSE CHEMISTRY

Foundation Tier

Paper 1F

Specimen 2018

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed).

Instructions

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 06.3 and 08.3 you need to make sure that your answer:
 - is clear, logical, sensibly structured
 - fully meets the requirements of the question
 - shows that each separate point or step supports the overall answer.

Advice

In all calculations, show clearly how you work out your answer.

Please write clearly, in block capitals.	
Centre number	
Surname	
Forename(s)	
Candidate signature	

0 1 This question is about different substances and their structures.
 0 1 . 1 Draw **one** line from each statement to the diagram which shows the structure.


[4 marks]

Statement The substance is a gas The substance is a liquid The substance is a solid metal

Structure















Question 1 continues on the next page



4

Tick **one** box.

Compound	
Element	
Mixture	

Turn over for the next question

[1 mark]

0 2 A student investigated the reactivity of three different metals.

This is the method used.

- 1. Place 1 g of metal powder in a test tube.
- 2. Add 10 cm³ of metal sulfate.
- 3. Wait 1 minute and observe.
- 4. Repeat using the other metals and metal sulfates.

The student placed a tick in Table 1 if there was a reaction and a cross if there was no reaction.

	Zinc	Copper	Magnesium
Copper sulfate	~	х	\checkmark
Magnesium sulfate	x	х	х
Zinc sulfate	x	х	\checkmark

Table 1

0 2 . 1 What is the dependent variable in the investigation?

Tick one box.	[1 mark]
Time taken	
Type of metal	
Volume of metal sulfate	
Whether there was a reaction or not	


0 2 . **2** Give **one** observation the student could make that shows there is a reaction between zinc and copper sulfate.

[1 mark]

0 2 . 3 The student used measuring instruments to measure some of the variables.

Draw **one** line from each variable to the measuring instrument used to measure the variable.

[2 marks]



02. 4 Use the results shown in **Table 1** to place zinc, copper and magnesium in order of reactivity.

[1 mark]

Most reactive ↓ ↓	
Least reactive	

0 2 . 5 Suggest one reason why the student should not use sodium in this investigation. [1 mark]

02.6	Which metal is found in the Ea	arth as the metal itself?	[1 mark]
	Tick one box.		ני וומיאן
	Calcium		
	Gold		
	Lithium		
	Potassium		
0 2 . 7	Iron is found in the Earth as ire	on oxide (Fe ₂ O ₃).	
	Iron oxide is reduced to produ	ce iron.	
	Polonee the equation for the r	agation	
	Balance the equation for the re		[1 mark]

 Fe_2O_3 + $C \rightarrow Fe$ + CO_2

02.8	Name the element used to rea	duce iron oxide.	[1 mark]
02.9	What is meant by reduction?		Margard 1
	Tick one box.		[1 mark]
	Gain of iron		
	Gain of oxide		
	Loss of iron		
	Loss of oxygen		

Turn over for the next question


0 3 Lithium carbonate reacts with dilute hydrochloric acid.

A group of students investigated the volume of gas produced.

This is the method used.

- 1. Place a known mass of lithium carbonate in a conical flask.
- 2. Measure 10 cm^3 of dilute hydrochloric acid using a measuring cylinder.
- 3. Pour the acid into the conical flask.
- 4. Place a bung in the flask and collect the gas as shown in **Figure 3**.





0 3 . 1 Figure 4 shows the measuring cylinder.

Figure 4



What volume of gas has been collected?

[1 mark]


Volume = _____ cm³

Question 3 continues on the next page


3 . **2 Table 2** shows the students' results.

Та	ble	2

Mass of lithium carbonate in g	Volume of gas in cm ³
0.0	0
0.1	22
0.2	44
0.3	50
0.4	88
0.5	96
0.6	96
0.7	96




On Figure 5:



03.3

Tick two boxes.





[4 marks]

Too much lithium carbonate was added.The bung was not pushed in firmly enough.There was too much water in the trough.The measuring cylinder was not completely over the deliveryThe conical flask was too small.

0 3 . 4 Describe the pattern the graph shows up to 0.4 g of lithium carbonate added.


[2 marks]

Lithium carbonate decomposes when heated.

The equation shows the decomposition of lithium carbonate.

 $Li_{2}CO_{3}\left(s\right) \ \ \rightarrow \ \ Li_{2}O\left(s\right) \ \ + \ \ CO_{2}\left(g\right)$

Figure 6 shows the apparatus a student used to decompose lithium carbonate.






03.5	Why does the limewater bubble?	[1 mark]
03.6	The student repeated the experiment with potassium carbonate. The limewater did not bubble.	
	Suggest why there were no bubbles in the limewater.	[1 mark]

Turn over for the next question

0 4 A student investigated the reactivity of different metals.

The student used the apparatus shown in Figure 7.





The student used four different metals.

The student measured the temperature rise for each metal three times.

The student's results are shown in Table 3.

Table	3
-------	---

Metal	Temperature rise in °C			Mean
Wetai	Test 1	Test 2	Test 3	temperature rise in °C
Calcium	17.8	16.9	17.5	
Iron	6.2	6.0	6.1	6.1
Magnesium	12.5	4.2	12.3	12.4
Zinc	7.8	8.0	7.6	7.8

	Question 4 continues on the next page	
-	Mean temperature rise =	°C
04.3	Calculate the mean temperature rise for calcium.	[1 mark]
	Reason	
	Result	
	Suggest one reason why this anomalous result was obtained.	[2 marks]
	Which result is anomalous?	
04.2	One of the results for magnesium is anomalous.	
	2	
	1	
04.1	Give two variables the student should control so that the investigation is a	fair test. [2 marks]

04. **4** The temperature rose when the metals were added to sulfuric acid.

Give **one** other observation that might be made when the metal was added to sulfuric acid. How would this observation be different for the different metals?

[2 marks]



Aluminium is more reactive than iron and zinc but less reactive than calcium and magnesium.

Predict the temperature rise when aluminium is reacted with dilute hydrochloric acid. [1 mark]

Temperature rise = °C

Turn over for the next question

0 5

Figure 8 shows magnesium burning in air.





0 5 . 1 Look at Figure 8.

How can you tell that a chemical reaction is taking place?

[1 mark]

0 5 . 2 Name the product from the reaction of magnesium in Figure 8.

[1 mark]

Figure 8

0 5 . 3 The magnesium needed heating before it would react.

	What conclusion can you draw from this? Tick one box.					
	The reaction is reversible					
	The reaction has a high activation energy					
	The reaction is exothermic					
	Magnesium has a high melting point					

05. 4 A sample of the product from the reaction in **Figure 8** was added to water and shaken.

Universal indicator was added.

The universal indicator turned blue.

What is the pH value of the solution?

Tick one box.



Question 5 continues on the next page

[1 mark]

0 5 . **5** Why are nanoparticles effective in very small quantities?

Tick one box.	[1 mark]
They are elements	
They are highly reactive	
They have a low melting point	
They have a high surface area to volume ratio	

0 5 . **6** Give **one** advantage of using nanoparticles in sun creams.

[1 mark]

0 5 . 7 Give **one** disadvantage of using nanoparticles in sun creams.

[1 mark]

05. **8** A coarse particle has a diameter of 1×10^{-6} m. A nanoparticle has a diameter of 1.6×10^{-9} m.

Calculate how many times bigger the diameter of the coarse particle is than the diameter of the nanoparticle.


[2 marks]

Turn over for the next question

0 6 A student investigated the reaction of copper carbonate with dilute sulfuric acid.

The student used the apparatus shown in Figure 9.





0 6 . 1 Complete the state symbols in the equation.

[2 marks]

$$CuCO_3$$
 (....) + H_2SO_4 (aq) \rightarrow $CuSO_4$ (aq) + H_2O (....) + CO_2 (g)

Why did the balance reading decrease during the reaction?

[1 mark]

 0 6 . 3 Describe a safe method for making pure crystals of copper sulfate from copper carbonate and dilute sulfuric acid. Use the information in **Figure 9** to help you.

In your method you should name all of the apparatus you will use.

[6 marks]

Question 6 continues on the next page

0 6 . 4 The percentage atom economy for a reaction is calculated using:

<u>Relative formula mass of desired product from equation</u> \times 100 Sum of relative formula masses of all reactants from equation

The equation for the reaction of copper carbonate and sulfuric acid is:

 $CuCO_3 + H_2SO_4 \rightarrow CuSO_4 + H_2O + CO_2$

Relative formula masses : $CuCO_3 = 123.5$; $H_2SO_4 = 98.0$; $CuSO_4 = 159.5$

Calculate the percentage atom economy for making copper sulfate from copper carbonate.

[3 marks]

Atom economy = _____ %


06. 5 Give one reason why is it important for the percentage atom economy of a reaction to be as high as possible.

[1 mark]

Turn over for the next question

0 7 The electronic structure of the atoms of five elements are shown in **Figure 10**.

The letters are **not** the symbols of the elements.



Choose the element to answer questions **07.1** to **07.5**. Each element can be used once, more than once or not at all.

Use the periodic table to help you.

0 7 . 1	Which element is hydrogen?	[1 mark]
	Tick one box.	[1 mark]
	A B C D E	
07.2	Which element is a halogen?	[1 mark]
	Tick one box.	
	A B C D E	

07.3	Which element is a metal in the same group of the periodic table as element Tick one box. B C D E	t A? [1 mark]
07.4	Which element exists as single atoms? Tick one box. A B C D E	[1 mark]

0 7 . 5 There are two isotopes of element A. Information about the two isotopes is shown in **Table 4**.

Table 4

Mass number of the isotope	6	7
Percentage abundance	92.5	7.5

Use the information in **Table 4** to calculate the relative atomic mass of element **A**. Give your answer to 2 decimal places.

[4 marks]

0 8 0 8 . 1	An atom of aluminium has the Give the number of protons, r			
			[3 marks]	
	Number of protons			
	Number of neutrons			

08. **2** Why is aluminium positioned in Group 3 of the periodic table?

Number of electrons

[1 mark]

0 8 . 3 In the periodic table, the transition elements and Group 1 elements are metals.

Some of the properties of two transition elements and two Group 1 elements are shown in **Table 5**.


	Transition	elements	Group 1 elements			
	Chromium	Iron	Sodium	Caesium		
Melting point in°C	1857	1535	98	29		
Formula of oxides	CrO Cr_2O_3 CrO_2 CrO_3	FeO Fe₂O₃ Fe₃O₄	Na₂O	Cs ₂ O		

Table 5

Use your own knowledge **and** the data in **Table 5** to compare the chemical and physical properties of transition elements and Group 1 elements.

[6 marks]

0 9 Figure 11 shows the outer electrons in an atom of the Group 1 element potassium and in an atom of the Group 6 element sulfur.



09.1

Potassium forms an ionic compound with sulfur.

Describe what happens when **two** atoms of potassium react with **one** atom of sulfur. Give your answer in terms of electron transfer.


Give the formulae of the ions formed.

[5 marks]

09.2

2 The structure of potassium sulfide can be represented using the ball and stick model in **Figure 12**.





The ball and stick model is **not** a true representation of the structure of potassium sulfide.

Give one reason why.

[1 mark]


Question 9 continues on the next page

0 9 . 3 Sulfur can also form covalent bonds.

Complete the dot and cross diagram to show the covalent bonding in a molecule of hydrogen sulfide.

Show the outer shell electrons only.

[2 marks]



0 9 . **4** Calculate the relative formula mass (M_r) of aluminium sulfate Al₂(SO₄)₃

Relative atomic masses (A_r): oxygen = 16; aluminium = 27; sulfur = 32

[2 marks]

Relative formula mass =

09.5

Covalent compounds such as hydrogen sulfide have low melting points and do **not** conduct electricity when molten.

Draw **one** line from each property to the explanation of the property.

[2 marks]

Property

Explanation of property

Electrons are free to move

There are no charged particles free to move

lons are free to move

Weak intermolecular forces of attraction

Bonds are weak

Bonds are strong

Low melting point

Does not conduct electricity when molten

09.6 Ionic compounds such as potassium sulfide have high boiling points and conduct electricity when dissolved in water.

Draw **one** line from each property to the explanation of the property.

[2 marks]

Property Explanation of property Electrons are free to move There are no charged particles free to move High boiling point lons are free to move Weak intermolecular forces of attraction Bonds are weak

Bonds are strong

Conduct electricity when molten

1 0 Rock salt is a mixture of sand and sa

Salt dissolves in water. Sand does not dissolve in water.

Some students separated rock salt.

This is the method used.

- 1. Place the rock salt in a beaker.
- 2. Add 100 cm^3 of cold water.
- 3. Allow the sand to settle to the bottom of the beaker.
- 4. Carefully pour the salty water into an evaporating dish.
- 5. Heat the contents of the evaporating dish with a Bunsen burner until salt crystals start to form.

1 0 . 1	Suggest one improvement to step 2 to make sure all the salt is dissolved in the
	water.

[1 mark]

1	0	Ι ₋ Γ	2	The salty	water in ste	n 4 still	contained	verv	small	arains	of	sand
•	•		_		water in oto		oontanioa	vory	onnan	granio	U 1	ound.

Suggest one improvement to step 4 to remove all the sand.


[1 mark]

1 0 . 3 Suggest **one** safety precaution the students should take in step 5.

[1 mark]

Question 10 continues on the next page

Another student removed water from salty water using the apparatus in Figure 13.



There are no questions printed on this page

Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.

Figure 8: Bunsen burner © Science Photo Library